APPENDIX G Potentially Occurring Special-Status Species on the Fallbrook Property

| WILDLIFE | | | |
|---|-----------------------|---|--|
| Scientific Name Common Name | Status | Habitat | |
| AMPHIBIANS | | | |
| Bufo microscaphus californicus Arroyo toad | Fed: E CA: CSC | Low; there is marginal habitat (riparian streambed), but no sightings occur within five miles of the site. | |
| Rana aurora draytonii California red -legged frog | Fed: T CA: CSC | Low; there is marginal habitat (riparian streambed), but no sightings occur within five miles of the site. | |
| Scaphiopus hammondii western spadefoot | Fed: None CA: CSC | Low; there is marginal habitat (grasslands and sandy soils with nearby low hills), but no sightings occur within five miles of the site. | |
| Taricha torosa torosa Coast range newt | Fed: None CA: None | Moderate; there is marginal habitat for the species (riparian and woodlands) and documented sightings occur within five miles of the property. | |
| REPTILES | | | |
| Actinemys marmorta pallida Southwestern pond turtle | Fed: None CA: CSC | Low; there are no ponds or standing water onsite. Occurrences are documented within five miles of the property. | |
| Anniella pulchra pulchra Silvery legless lizard | Fed: None CA: CSC | Moderate; there is marginal habitat for the species and documented sightings occur within five miles of the property. | |
| Charina trivirgata Rosy boa | Fed: None CA: None | Low; there is marginal habitat (grassland, riparian scrub, woodlands) on the site, but no occurrences are documented within five miles of the property. | |
| Cnemidophorus hyperythrus Orange-throated whiptail | Fed: None CA: CSC | Low; there is marginal habitat (grassland, riparian scrub, woodlands) on the site, but no occurrences are documented within five miles of the property. | |
| Cnemidophorus tigris multiscutatus Coastal western whiptail | Fed: None CA: None | Low; there are no friable desert soils on the site, and there are no nearby documented sightings. | |
| Coleonyx variegatus abbotti San Diego banded gecko | Fed: None CA: CSC | Moderate; there is marginal habitat for the species and documented sightings occur within five miles of the property. | |
| Crotalus ruber ruber Red Diamond Rattlesnake | Fed: None CA: None | Moderate; there is marginal habitat for the species and documented sightings occur within five miles of the property. | |
| Diadophis punctatus similis San Diego ringneck snake | Fed: None CA: None | Moderate; there is marginal habitat for the species and documented sightings occur within five miles of the property. | |

Fallbrook Oaks TM 5449; ER 05-02-029 Appendix G

| Eumeces skiltonianus interparietalis Coronado skink | Fed: CA: | None None | Moderate; there is marginal habitat for the species (sandy soils) and documented sightings occur within five miles of the property. |
|---|-------------|-----------------|--|
| Phrynosoma coronatum ssp. blainvillei (San Diego) coast horned lizard | Fed: CA: | None CSC | Moderate; there is marginal habitat for the species (sandy soils) and documented sightings occur within five miles of the property. |
| Salvadora hexalepis virgultea Coast patch nosed snake | Fed: CA: | None None | Moderate; there is marginal habitat for the species (grasslands) and documented sightings occur within five miles of the property. |
| Thamnophis hammondii Two-striped garter snake | Fed: CA: | None CSC | Moderate; there is marginal habitat for the species and documented sightings occur within five miles of the property. |
| Thamnophis sirtalis novum South Coast garter snake | Fed: CA: | None CSC | Moderate; there is marginal habitat for the species and documented sightings occur within five miles of the property. |
| Accipiter cooperi Cooper's hawk | Fed: CA: | MBTA CSC, FP | Moderate; Oak woodland is present on the site. |
| Accipiter striatus Sharp-shinned hawk | Fed: CA: | MBTA CSC, FP | Moderate; Oak woodland is present on the site. |
| Aimophila ruficeps canescens southern California rufous- crowned sparrow | Fed: CA: | None CSC | Low; although sightings have been documented within five miles of the site, there is only poor secondary habitat (grassland and chaparral) present. Not observed during surveys. |
| Ammodramus savannarum Grasshopper sparrow | Fed: CA: | None CSC | Moderate; there is grassland habitat present on the site. This species is known to occur within five miles of the project site. |
| Aquila chrysaetos golden eagle | Fed: CA: | MBTA CSC, FP | Moderate; there is grassland and oak woodland habitat present on the site. This species is known to occur within five miles of the project site and may use the site for foraging. |
| Amphispiza belli belli Bell's sage sparrow | Fed: CA: | None CSC | Moderate; there is grassland habitat present on the site. This species is known to occur within five miles of the project site. |
| Ardea herodias Great blue heron | Fed: CA: | None CSC | Low; There are no known sightings within five miles of the site, and there is no suitable marsh habitat on site. Species was not observed during surveys. |

| Athene cunicularia Burrowing owl | None CSC | Low; There are no known sightings within five miles of the site, but there is suitable open grassland, habitat and small mammal burrows on site. Species was not observed during surveys and is unlikely to use the site. |
|---|------------------|---|
| Buteo lineatus Red-shouldered hawk | None CSC | High; Red-shouldered hawk was documented on the project site. |
| Campylorhynchus brunneicapillus sandiegensis Coastal cactus wren | None CSC | Low; There are no known sightings within five miles of the site, and there is no cactus or suitable sage scrub or chaparral habitat on site. Species was not observed during surveys. |
| Cathartes aura Turkey vulture | None CSC | Moderate; suitable habitat for this species occurs on the project site (grassland and oak woodland). This species is known to occur within five miles of the project site. |
| Circus cyaneus Northern harrier | MBTA CSC, FP | Moderate; suitable habitat for this species occurs on the project site (grassland). This species is known to occur within five miles of the project site. |
| Coccyzus americanus occidentalis Western yellow-billed cuckoo | Candidate END | Low; there is woodland habitat on the property. Species was not observed during focused protocol surveys. There are no known sightings within five miles of the site. |
| Dendroica petechia brewsteri Yellow warbler | MBTA CSC | Low; there is woodland habitat on the property. Species was not observed during focused protocol surveys. This species is known to occur within five miles of the project site. |
| Elanus leucurus white-tailed kite | MBTA FP | Moderate; there are open grassland areas suitable for foraging, as well as small mammals present on the site. Oak woodland breeding habitat is also present. |
| Empidonax traillii extimus southwestern willow flycatcher | END END | Low; there is woodland habitat on the property. Species was not observed during focused protocol surveys. There are no known sightings within five miles of the site. |
| Eremophila alpestris actia California horned lark | None CSC | Moderate; there is grassland present on the site and moist areas. Sightings have been documented within five miles of the property. |
| <i>Falco mexicanus</i> Prairie falcon | None CSC | Moderate; there is grassland present on the site and moist areas. Sightings have been documented within five miles of the property. |

| MAMMALS | | 1ss or the property. |
|---|-----------------------|---|
| Vireo bellii pusillus least Bell's vireo | Fed: END CA: END | Low; no suitable lowland riparian willow or scrub habitat is present on site, but the species has been documented within five miles of the property. |
| <i>Tyto alba</i> Common barn-owl | Fed: None CA: None | Moderate; Oak woodland is present on the site, which provides nesting habitat. Grasslands open grassland areas suitable for foraging, as well as small mammals present on the site. Sightings have been documented within five miles of the property. |
| Sialia mexicana Western bluebird | Fed: None CA: None | Moderate; Oak woodland is present on the site. Sightings have been documented within five miles of the property. |
| Polioptila californica californica Coastal California gnatcatcher | Fed: T CA: CSC | Low; there is no sage scrub or chaparral present on the site. Sightings have been documented within five miles of the property. |
| Plegadis chihi white-faced ibis | Fed: None CA: CSC | Low; there are no pool areas and only marginal secondary habitat (grassland and woodland) habitat present on site. No known sightings occur within five miles of the site, and the species was not observed during surveys. |
| Passerculus sandwichensis beldingi Belding's savannah sparrow | Fed: None CA: END | Low; there is no tidal marsh, or pickleweed on site. No known sightings occur within five miles of the site, and the species was not observed during surveys. |
| Nycticorax nycticorax Black-crowned night heron | Fed: None CA: CSC | Low; no suitable marshy habitat is present on site, and the species has not been documented within five miles of the property. |
| Larus californicus California gull (Non-breeding) | Fed: None CA: None | Low; no suitable habitat (marsh, lake, garbage dump, active agricultural operation) is present on site, and the species has not been documented within five miles of the property. |
| Lanius ludovicianus Loggerhead shrike | Fed: None CA: CSC | Moderate; there is grassland present on the site. Sightings have been documented within five miles of the property. |
| Ixobrychus exilis Least bittern | Fed: None CA: CSC | Low; no suitable marshy habitat is present on site, and the species has not been documented within five miles of the property. |
| Icteria virens Yellow-breasted chat | Fed: None CA: CSC | Low; no suitable lowland riparian willow or scrub habitat is present on site, but the species has been documented within five miles of the property. Species was not observed during focused protocol surveys. |

| Antrozous pallidus | Fed: | None | Moderate; the site has roosting trees and water, required for foraging. Sightings have been documented within five miles of the property. |
|---|-------------|-------------|--|
| Pallid bat | CA: | CSC | |
| Bassariscus astutus | Fed: | None | Moderate; the site has roosting trees and water, required for foraging. Sightings have not been documented within five miles of the property. |
| Ringtail | CA: | CSC | |
| Chaetodipus californicus femoralis Dulzura pocket mouse | Fed: CA: | None CSC | Moderate; marginal grassland is present on the site. This species has been found within five miles of the project site. |
| Chaetodipus fallax fallax northwestern San Diego pocket mouse | Fed: CA: | None CSC | Moderate; marginal grassland is present on the site. This species has been found within five miles of the project site. |
| Corynorhinus townsendii Townsend's big-eared bat | Fed: CA: | None CSC | Moderate, the site may be used as foraging habitat. Sightings have not been documented within five miles of the property. |
| Dipodomys stephensii | Fed: | END | Low; there are no soft soils with sparse grasses present on the site, and there are no documented sightings within five miles of the property. |
| Stephens' kangaroo rat | CA: | THR | |
| Euderma maculatum | Fed: | None | Low, the site may be used as foraging habitat. There are no known roosting sites within California. |
| Spotted bat | CA: | CSC | |
| Eumops perotis californicus Western Mastiff bat | Fed: CA: | None CSC | Moderate, the site may be used as foraging habitat. Sightings have been documented within five miles of the property. |
| Felis concolor | Fed: | None | Moderate: the open woodlands may be used as perching areas. Sightings have been documented within five miles of the property. |
| Mountain lion | CA: | None | |
| Lasiurus blossevillii | Fed: | None | Moderate, the site may be used as foraging and roosting habitat. Sightings have been documented within five miles of the property. |
| Western red bat | CA: | CSC | |
| Lasiurus cinereus | Fed: | None | Moderate, the site may be used as foraging and roosting habitat. Sightings have been documented within five miles of the property. |
| Hoary bat | CA: | CSC | |
| Lasiurus xanthinus | Fed: | None | Moderate, the site may be used as foraging and roosting habitat. Sightings have been documented within five miles of the property. |
| Western yellow bat | CA: | None | |
| Lepus californicus bennettii San Diego black-tailed jackrabbit | Fed: CA: | None CSC | Low; there is marginal grassland habitat on the property. There is one documented sighting within five miles of the site. |

| Danaus plexippus Monarch butterfly Euphydryas editha quino Quino checkerspot butterfly | Fed: CA: Fed: CA: | None None END None | site. There are no sightings known within five miles of the site. Low; appropriate habitat is not present on the site. There are no sightings known within five miles of the site. |
|--|----------------------------|-----------------------------|---|
| INSECTS | | | Low; roosting habitat is not present on the |
| Gila orcuttii Arroyo chub INVERTEBRATES | Fed: CA: | END CSC | Low; there is no suitable habitat on site. There are no sightings known within five miles of the site. |
| Taxidea taxus American badger FISH | Fed: CA: | None CSC | Low; marginal grassland habitat is present on the site. There are no sightings known within five miles of the site. |
| Southern grasshopper mouse Perognathus Iongimembris brevinasus Los Angeles pocket mouse | Fed: CA: | None CSC | five miles of the site. Low; marginal grassland habitat is present on the site. There are no sightings known within five miles of the site. |
| Onychomys torridus ramona | Fed: CA: | None None | within five miles of the property. Moderate; there is suitable habitat on site. Sightings have been documented within |
| Odocoileus hemionus Southern mule deer | Fed: CA: | None None | property. Moderate, the site may be used as grazing habitat. Sightings have been documented |
| Nyctinomops macrotis Big free-tailed bat | Fed: CA: | None CSC | property. Moderate, the site may be used as foraging habitat. Sightings have not been documented within five miles of the |
| Nyctinomops femorosaccus Pocketed free-tailed bat | Fed: CA: | None CSC | Moderate, the site may be used as foraging habitat. Sightings have been documented within five miles of the |
| Neotoma lepida intermedia San Diego woodrat | Fed: CA: | None CSC | property. Moderate; there is suitable habitat on site. Sightings have been documented within five miles of the site. |
| Myotis yumanensis Yuma myotis | Fed: CA: | None None | property. Moderate, the site may be used as foraging habitat. Sightings have been documented within five miles of the |
| Myotis ciliolabrum Small-footed myotis | Fed: CA: | None CSC | Moderate, the site may be used as foraging habitat. Sightings have been documented within five miles of the |
| Macrotus californicus California leaf-nosed bat | Fed: CA: | None CSC | Moderate, the site may be used as foraging habitat. Sightings have been documented within five miles of the property. |

Potential for Occurrence Criteria:

Present: Species was observed on site during a site visit or focused survey.

High: Habitat (including soils and elevation factors) for the species occurs on site and a

known occurrence has been recorded within 5 miles of the site.

Moderate: Either habitat (including soils and elevation factors) for the species occurs on site and

a known occurrence occurs within the database search, but not within 5 miles of the site; or a known occurrence occurs within 5 miles of the site and marginal or limited

amounts of habitat occurs on site.

Low: Limited habitat for the species occurs on site and a known occurrence occurs within

the database search, but not within 5 miles of the site, or suitable habitat strongly associated with the species occurs on site, but no records were found within the

database search.

Unlikely: Species was found within the database search, but habitat (including soils and

elevation factors) do not exist on site or the known geographic range of the species

does not include the survey area.

Federal Designations State designations:

(Federal Endangered Species Act, USFWS) (California Endangered Species Act, CDFG)

END: federal-listed, endangered **THR:** federal-listed, threatened **END:** state-listed, endangered **THR:** state-listed, threatened

MTBA: listed under the Migratory Bird Treaty Act FP: fully protected

BCC: Birds of Conservation Concern CSC: California Special Concern

Source: California Natural Diversity Data Base (2006), California Native Plant Society Electronic

Inventory (2006) Bonsall 7.5 minute quad

Fallbrook Oaks TM 5449; ER 05-02-029 Appendix G